



PROFIX2

Product Description:

- non-chlorinated aerosol adhesive designed to hold reinforcing fibres in place during the infusion process of fibreglass resin without affecting the integrity of the system.
- Designed to give a temporary hold for fibreglass materials prior to the application of fibreglass resin or gel coat when building up composites.
- Can also be used as a general purpose contact adhesive in a wide range of applications.
- **Not suitable for use with plasticised PVC or expanded polystyrene.**

TECHNICAL DATA:

Type:	<i>Aerosol Adhesive</i>
Base:	<i>Synthetic Rubber/Resin</i>
Application Method:	<i>Aerosol Spray</i>
Application Temp:	<i>+5 °C to +40 °C</i>
Packaging:	<i>500ml aerosol cans and 14.3kg cannisters</i>

APPLICATION:

- *Shake before use.*
- *Surface should be clean, dry and free from grease.*
- *Spray adhesive from 6" – 8" away onto the surface.*
- *Do not wet surface*
- *Allow to dry for 10-60 seconds until tacky, and then press fiberglass material into position.*
- *Excess adhesive can be removed with a solvent cleaner or white spirit.*
- *To prevent spray nozzle from blocking, at the end of each period of use, turn the can upside down and press nozzle until spray is clear of adhesive.*

Storage Life:

12 months when stored between 5 ° and 25 ° in clean dry shaded conditions in original unopened containers



Gotlandsvej 6, 5700, Svendborg, Denmark

Tel: 004562201312 – Fax: 004562301477 - www.hfmarine.dk

All statements, technical information and recommendations, including storage, contained in this publication are based on tests believed to be reliable, but their accuracy and/or completeness are not guaranteed.

The user shall determine the suitability of this particular purpose and shall assume all risk and liability in connection herewith.